SF

Notice of Allowability	Application No.	Applicant(s)
	10/619,517	HARUMOTO, KATSUMI
	Examiner	Art Unit
	Susan S. Lee	2852
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>amendments filed 9/6/05 & 10/20/05</u> .		
2. 🔀 The allowed claim(s) is/are <u>1-34</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the 		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
5. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	- -	
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 Interview Summary (Paper No./Mail Date 	e
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 	3), 7. Examiner's Amendm	ent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's Statemen	nt of Reasons for Allowance
	9.	

Application/Control Number: 10/619,517

Art Unit: 2852

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

The primary reason for allowance of claims 1-16 is the inclusion of an information acquisition unit that, based on the identification information obtained from a storage medium of a replacement part through the communication unit, acquires information on the replacement part from a storage unit provided to an element other than the replacement part; and a management unit that manages a usage state of the replacement part in accordance with the information on the replacement part acquired by the information acquisition unit. This is found in all of claims 1-16, but not disclosed nor suggested by the prior art of record.

The primary reason for allowance of claims 17-32 is the inclusion of a control unit that obtains information on an operating state of the image forming apparatus. The operating state includes information stored in a storage medium, transmits the information on the operating state of the image forming apparatus through the network to the management server, and manages the operating state of the image forming apparatus based on the data sent from the management server, wherein the information includes usage state of the at least one replacement part. This is found in all of claims 17-32, but not disclosed nor suggested by the prior art of record.

The primary reason for allowance of claim 33 is the inclusion of a method of storing identification information inherent to the replacement part into the storage medium of the replacement part; in correspondence with the identification information,

storing information for managing a usage state of the replacement part into a storage unit provided to an element other than the replacement part. This is found in all of claim 33, but not disclosed nor suggested by the prior art of record.

The primary reason for allowance of claim 34 is the inclusion of a method of reading an identification information of the replacement part stored in the storage medium of the replacement part; based on the identification information read from the replacement part, acquiring the information on a corresponding replacement part stored in a storage unit provided to an element other than the replacement part; and based on the information on the corresponding part acquired from the storage unit, managing a usage state of the replacement part. This is found in all of claim 34, but not disclosed nor suggested by the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Susan S. Lee whose telephone number is 571-272-2137. The examiner can normally be reached on Mon. - Fri., 10:30-8:00, Second Monday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Art Grimley can be reached on 571-272-2136 or 571-272-2800 (Ext. 52).

Application/Control Number: 10/619,517

Art Unit: 2852

The fax phone number for the organization where this application or proceeding is

assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Susan S. Lee Primary Examiner Art Unit 2852 Page 4

sl